

## MEASUREMENTS

Chair dimensions and fabric requirements in mm (leather ft<sup>2</sup>). Refers to plain coloured or small-patterned fabrics. Fabric requirement per unit.



Article	Art no	Seat height	Total height	Total height armrest	Total width	Total depth	Weight	Fabric req. 1300/1400 (mm)	Fabric req. 1500 (mm)	Leather req. ft <sup>2</sup>
Dialog 1	DIALOG1	450	720	680	555	505	-	-	-	-
Dialog 1	DIALOG1F	450	720	680	555	505	-	-	-	-
Dialog 2	DIALOG2	450	720	680	515	480	-	-	-	-
Dialog 2	DIALOG2F	450	720	680	515	480	-	-	-	-
Atlas	P40B35	440	860	660	580	570	16	2700	2700	42
Atlas	P40B36	440	860	660	580	570	16	2700	2700	42
Avia	P40C52	425	840	-	470	550	4,5	-	-	-
Avia	P40C53	435	840	-	470	550	5	300	300	3,6
Avia	P40C54	435	840	-	470	550	5,8	500	500	7,0
Avia	P40C49	430	800	650	550	550	5	-	-	-
Avia	P40C50	440	800	650	550	550	5,5	300	300	3,6
Avia	P40C51	440	800	650	550	550	6,3	500	500	7,0
Avia conference chair	P40C30	460	820	670	590	580	9	900	900	9
B.Fly	P40D05	450	780	-	460	500	6,5	-	-	-
B.Fly	P40D06	450	780	-	460	500	6,6	500	500	3,3
B.Fly	P40D07	450	780	-	460	500	6,5	500	500	5,9
B.Fly	P40D08	450	780	660	560	500	6,5	-	-	-
B.Fly	P40D09	450	780	660	560	500	6,5	500	500	3,3
B.Fly	P40D10	450	780	660	560	500	6,5	500	500	5,9
Benty	302410	450	800	650	570	530	6	600	600	8,9
Billow	P40B74	460	870	670	550	600	13	700	700	9,2
Garbo	P40D02	480	790	700	560	610	9	600	600	4,5
Garbo	P40D03	480	790	700	560	610	19	600	600	4,5
Garbo	P40D04	480	790	700	720	720	13	600	600	4,5
Gil, four-leg base	P40E27	46	850	-	450	550	6,2	-	-	-
Gil, four-leg base	P40E28	46	850	-	450	550	7,1	400	-	4,5
Gil, four-leg base	P40E29	46	850	-	450	550	8	500	-	8
Gil, four-leg base	P40E70	460	850	-	450	550	8	800	800	12
Gil, star base	P40E71	460	850	-	450	550	10	400	400	4,5
Gil, star base	P40E72	460	850	-	450	550	10,9	600	600	9,3
Gil, star base	P40E73	460	850	-	450	550	10,9	800	800	12
Gil, star base	P40E74	460	850	-	450	550	10,2	400	400	4,5
Gil, star base	P40E75	460	850	-	450	550	11,1	600	600	9,3
Gil, star base	P40E76	460	850	-	450	550	11,1	800	800	12
Graf Original	P40D55	460	900	-	440	520	5	-	-	-
Graf Original	P40D56	460	900	-	440	520	5	550	-	-
Graf Original	P40D57	460	900	-	440	520	5	550	-	-
Graf Original	P40D58	460	900	-	440	520	5	550	-	-
Graf Original	P40D59	460	900	-	440	520	5	550	-	-
Graf Original	P40D60	460	900	-	440	520	5	1000	-	-
Graf high back	P40D50	460	1060	-	440	520	5	-	-	-
Graf high back	P40D51	460	1060	-	440	520	5	550	-	-
Graf high back	P40D52	460	1060	-	440	520	5	550	-	-
Graf high back	P40D53	460	1060	-	440	520	5	900	-	-
Graf high back	P40D54	460	1060	-	440	520	5	900	-	-
Graf, high back, five star base	P40D61	390-500	1060	-	640	520	9,5	550	-	-
Graf, high back, five star base	P40D62	350-460	1060	-	640	520	9,5	550	-	-
Graf, high back, five star base	P40D63	390-500	1060	-	640	520	9,5	550	-	-
Graf, high back, five star base	P40D64	350-460	1060	-	640	520	10,3	550	-	-
Graf, high back, five star base	P40D65	390-500	1060	-	640	520	9,5	900	-	-
Graf, high back, five star base	P40D66	350-460	1060	-	640	520	9,5	900	-	-
Graf, high back, five star base	P40D67	410-520	1060	-	640	520	9,5	900	-	-
Graf, high back, five star base	P40D68	370-480	1060	-	640	520	9,5	900	-	-
Graf high chair	P40D69	780	1080	-	420	490	5,4	-	-	-
Graf high chair	P40D70	780	1080	-	420	490	6,6	450	-	-
Graf high chair	P40D71	780	1080	-	420	490	5,4	850	-	-
Hi.Fly	P40B01	750	1050	-	450	420	8,5	-	-	-
Hi.Fly	P40B02	750	1050	-	450	420	8,5	500	500	3
Hi.Fly	P40B03	750	1050	-	450	420	6,5	800	800	5,6
Kite	P40D11	450	800	-	500	500	6,5	-	-	-
Kite	P40D12	450	800	-	500	500	6,5	500	500	3,6
Kite	P40D13	450	800	-	500	500	6,5	600	600	6,2
Kite	P40D14	450	800	670	500	500	6,5	-	-	-
Kite	P40D15	450	800	670	500	500	6,5	500	500	3,6
Kite	P40D16	450	800	670	500	500	6,5	600	600	6,2



Chair dimensions and fabric requirements in mm (leather ft<sup>2</sup>). Refers to plain coloured or small-patterned fabrics. Fabric requirement per unit.

**MEASUREMENTS**

Article	Art no	Seat height	Total height	Total height armrest	Total width	Total depth	Weight	Fabric req. 1300/1400 (mm)	Fabric req. 1500 (mm)	Leather req. ft <sup>2</sup>
Liisa	P40D21	450	780	-	515	515	6	-	-	-
Liisa	P40D22	450	780	-	515	515	6	600	600	3,7
Liisa	P40D23	450	780	660	535	535	7	-	-	-
Liisa	P40D24	450	780	660	535	535	7	600	600	3,7
Liisa conference chair	P40D25	460	840	670	600	660	10	1200	1200	16,9
Monte,	P40D31	450	790	-	470	510	5	600	600	4,2
Monte,	P40D32	450	790	-	470	510	5	600	600	5,6
Monte,	P40D33	450	790	670	540	510	6	600	600	4,2
Monte,	P40D34	450	790	670	540	510	5	600	600	5,6
Monte,	P40D35	450	790	-	470	510	6	-	-	-
Monte,	P40D36	450	790	-	470	510	6	600	600	4,2
Monte,	P40D37	450	790	670	540	510	7	-	-	-
Monte,	P40D38	450	790	670	540	510	7	600	600	4,2
Monte, conference chair	P40D39	450	820	650	580	650	7	1100	1000	-
Moose	P40C64	410	810	-	480	550	6,5	-	-	-
Moose	P40C60	430	810	-	480	550	7	400	400	5,7
Moose	P40C62	430	810	-	480	550	7	400	400	5,7
Moose	P40C63	430	810	-	480	550	7,5	500	500	8,9
Moose	P40C61	430	810	-	480	550	7	600	600	12,3
Moose	P40C69	410	810	660	520	550	8	-	-	-
Moose	P40C65	430	810	660	520	550	8	400	400	5,7
Moose	P40C67	430	810	660	520	550	8,5	400	400	5,7
Moose	P40C68	430	810	660	520	550	8,5	500	500	8,9
Moose	P40C66	430	810	660	520	550	8,5	600	600	12,3
Moose, spring design	P40C74	410	810	-	480	550	8	-	-	-
Moose, spring design	P40C70	410	810	-	480	550	8	400	400	5,7
Moose, spring design	P40C72	430	810	-	480	550	8,5	400	400	5,7
Moose, spring design	P40C73	430	810	-	480	550	8,5	500	500	8,9
Moose, spring design	P40C71	430	810	-	480	550	8	600	600	12,3
Moose, spring design	P40C79	410	810	660	520	550	9	-	-	-
Moose, spring design	P40C75	430	810	660	520	550	9	400	400	5,7
Moose, spring design	P40C77	430	810	660	520	550	9,5	400	400	5,7
Moose, spring design	P40C78	430	810	660	520	550	10	500	500	8,9
Moose, spring design	P40C76	430	810	660	520	550	9,5	600	600	12,3
Offy	311131	450	780	-	470	510	6,5	-	-	-
Offy	311132	450	780	-	470	510	6,5	500	500	4
Offy	311130	450	780	-	470	510	6,5	500	500	7,8
Offy	312241	450	780	-	550	510	6,5	-	-	-
Offy	312242	450	780	-	550	510	6,5	500	500	4
Offy	312240	450	780	-	550	510	6,5	500	500	7,8
Ruutu	P40D41	480	900	660	560	520	7	500	500	2,9
Ruutu	P40D42	480	900	660	560	520	7	500	500	2,9
Sit	P40B61	440	810	-	470	560	5,5	-	-	-
Sit	P40B62	450	810	-	470	560	6,5	500	500	3,5
Sit	P40B63	450	810	-	470	560	6,5	500	500	7
Sit	P40B64	450	810	-	470	560	6,5	-	-	-
Sit	P40B65	440	810	660	520	560	6,5	-	-	-
Sit	P40B66	450	810	660	520	560	6,5	500	500	3,5
Sit	P40B67	450	810	660	520	560	6,5	500	500	7
Sit	P40B68	450	810	660	520	560	6,5	-	-	-
Titan,	P60A01	450	900	650	560	580	7	500	500	4
Titan,	J629	450	900	650	560	580	7	900	900	14
Titan,	P40B81	450	900	650	540	580	8,5	500	500	4
Titan,	P40B80	450	900	650	540	580	8,5	900	900	14
Titan,	P40B85	460	900	660	540	590	9,5	500	500	5
Titan,	P40B83	460	900	660	540	590	9	500	500	5,0
Titan,	P40B82	460	900	660	540	590	9	1000	1000	16,2
Titan,	P40B84	460	900	660	540	590	9,5	500	500	5
Titan Rock	P40B86	450	880	660	530	580	11,5	600	600	8,5
Titan Rock	P40B87	450	880	660	530	580	10,5	900	900	12,7
Vinka	P40C90	460	840	-	520	560	7	-	-	-
Vinka	P40C91	480	840	-	520	560	7,8	400	400	3,9
Vinka	P40C92	480	840	-	520	560	8,4	600	600	7,2
Vinka	P40C93	460	840	650	560	560	7,7	-	-	-
Vinka	P40C94	480	840	650	560	560	8,4	400	400	3,9
Vinka	P40C95	480	840	650	560	560	9	600	600	7,2
Woods, round tube metal frame	P40D80	470	880	-	430	640	11,3	600	-	-
Woods, round tube metal frame	P40D81	470	880	-	430	640	12,3	600	-	-
Woods, round tube metal frame	P40D82	470	880	-	430	640	12,3	1200	-	-

## MEASUREMENTS

Chair dimensions and fabric requirements in mm (leather ft<sup>2</sup>). Refers to plain coloured or small-patterned fabrics. Fabric requirement per unit.



Article	Art no	Seat height	Total height	Total height armrest	Total width	Total depth	Weight	Fabric req. 1300/1400 (mm)	Fabric req. 1500 (mm)	Leather req. ft <sup>2</sup>
Woods, flat steel metal frame	P40D83	470	880	-	430	640	11,3	600	-	-
Woods, flat steel metal frame	P40D84	470	880	-	430	640	12,3	600	-	-
Woods, flat steel metal frame	P40D85	470	880	-	430	640	12,3	1200	-	-
Woods, five star base	P40D86	460-560	880	-	640	640	11,2	600	-	-
Woods, five star base	P40D87	420-520	880	-	640	640	11,2	600	-	-
Woods, five star base	P40D88	460-560	880	-	640	640	12,2	600	-	-
Woods, five star base	P40D89	420-520	880	-	640	640	12,2	600	-	-
Woods, five star base	P40D90	460-560	880	-	640	640	12,2	1200	-	-
Woods, five star base	P40D91	420-520	880	-	640	640	12,2	1200	-	-
Avia, easy chair & sofa	P40C31	420	770	-	600	740	13	900	900	14
Avia, easy chair & sofa	P40C32	390	750	570	740	740	15	1100	1100	14,2
Avia, easy chair & sofa	P40C33	390	750	-	1390	740	25	1800	1800	24
Avia, easy chair & sofa	P40C34	390	750	570	1420	740	25,5	2000	2000	26,2
Avia, easy chair & sofa	P40C38	390	750	-	2050	740	36,5	2100	2100	36
Avia, easy chair & sofa	P40C39	390	750	570	2080	740	38,5	2300	2300	38,2
Avia, combinations	P40C41	390	750	-	1390	740	24	900	900	12
Avia, combinations	P40C42	390	750	-	1390	740	24	900	900	12
Avia, combinations	P40C40	420	460	-	2050	620	22	700	700	8,7
Avia, combinations	P40C47	420	460	-	2050	620	32	1300	1300	17,4
Avia, combinations	P40C48	420	460	-	2050	620	32	1300	1300	17,4
Avia, combinations	P40C43	390	750	-	2050	740	36	1600	1600	24
Avia, combinations	P40C44	390	750	-	2050	740	36	1600	1600	24
Avia, combinations	P40C45	390	750	-	2050	740	36	1600	1600	24
Avia, combinations	P40C46	390	740	570	2080	740	38	1600	1600	26,2
Avia, stool & bench	P40C36	420	460	-	600	620	11	700	700	8,7
Avia, stool & bench	P40C35	400	450	-	1390	620	20,5	1300	1300	17,4
Avia, stool & bench	P40C37	420	460	-	2050	620	30,5	2000	2000	26,1
Billow	P40B70	420	860	640	590	640	13	800	800	14
Billow	P40B71	420	860	640	1080	640	22	1600	1600	26,4
Carat	P60B04	430	900	640	690	650	18	3500	2900	55
Carat	P60B05	430	900	640	690	650	18	3500	2900	55
Coleman	P40E60	440	800	-	670	670	17	2000	2000	30,0
Coleman	P40E61	440	800	600	810	670	24	3000	3000	53,0
Coleman	P40E62	440	800	-	1300	670	28	3000	3000	52,2
Coleman	P40E63	440	800	600	1440	670	36	4000	4000	75,2
Consul	P60B03	430	750	590	780	750	19	2800	2800	51
Consul	P60C27	430	750	590	1380	750	30	4200	4200	81
Consul	P60C28	430	750	590	1980	750	41	5700	5700	111
Desmond, metal armrests	P40E01	430	820	-	610	730	19,2	1300	-	-
Desmond, metal armrests	P40E02	430	820	-	1110	730	30,5	2410	-	-
Desmond, metal armrests	P40E03	430	820	-	1630	730	40,5	3640	-	-
Desmond, fabric covered armrests	P40E04	430	820	-	670	730	19,5	2800	-	-
Desmond, fabric covered armrests	P40E05	430	820	-	1180	730	30,5	3600	-	-
Desmond, fabric covered armrests	P40E06	430	820	-	1700	730	40,5	4610	-	-
Desmond, round tube with laquered frame	P40E07	420	800	-	520	720	13,7	1300	-	26
Futurum	J216	440	710	710	700	720	19	3100	2700	59
Futurum	J316	430	760	760	1360	720	22	4500	3700	79
Futurum	J317	430	760	760	1360	720	22	4500	3700	79
Futurum	J318	430	760	760	1360	720	22	4500	3700	79
Futurum	J319	430	760	760	1360	720	22	4500	3700	79
Futurum	J321	430	760	-	1210	720	22	3000	3000	48
Futurum	J322	430	760	760	1330	720	22	3700	3200	63
Futurum	J323	430	760	760	1330	720	22	3700	3200	63
Futurum	J324	430	760	760	1330	720	22	3700	3200	63
Futurum	J325	430	760	760	1330	720	22	3700	3200	63
Futurum	J416	430	760	760	1750	720	32	5200	4300	100
Futurum	J417	430	760	760	1750	720	32	5200	4300	100
Futurum	J418	430	760	760	1750	720	32	5200	4300	100
Futurum	J419	430	760	760	1750	720	32	5200	4300	100
Futurum	J420	430	760	-	720	720	16	3300	3300	65
Futurum	J421	430	760	760	1610	720	28	3700	3700	60
Futurum	J422	430	760	760	1680	720	28	4500	3900	80
Futurum	J423	430	760	760	1680	720	30	4500	3900	80
Futurum	J424	430	760	760	1680	720	28	4500	3900	75
Futurum	J425	430	760	760	1680	720	28	4500	3900	75
Harlekiini	P40D46	420	900	640	650	770	9	1300	1300	23,5



Chair dimensions and fabric requirements in mm (leather ft<sup>2</sup>). Refers to plain coloured or small-patterned fabrics. Fabric requirement per unit.

## MEASUREMENTS

Article	Art no	Seat height	Total height	Total height armrest	Total width	Total depth	Weight	Fabric req. 1300/1400 (mm)	Fabric req. 1500 (mm)	Leather req. ft <sup>2</sup>
Kavaljer	J490	430	800	800	690	690	17	2700	2100	40
Kavaljer	J491	430	800	800	690	690	20	3400	2700	50
Kavaljer	J492	430	800	800	940	690	23	3700	3400	62
Kavaljer	J493	430	800	800	940	690	23	3100	2700	49
Kavaljer	J494	430	800	800	690	690	22	3000	2900	520
Kavaljer	J495	430	800	800	690	690	22	2900	2300	47
Kavaljer	P60C35	430	800	800	1360	690	40	6800	5400	100
Kavaljer	P60C36	430	800	800	2040	690	57	9500	7500	140
Liisa	P40D26	450	820	640	660	800	10	1500	1500	20
Liisa	P40D27	450	820	640	1430	800	30	2500	2300	40
Ruutu	P40D43	450	890	660	1230	580	16	700	700	11,6